

ZOO OF THE WILD

By: Colton F.

Come on down

Make sure you come down to the
Zoo of the Wild.

On Sundays everybody is

HALF OFF!

Let's Eat

Remember that there's the best
food court for a zoo

So...

Let's Eat

Information

- ▣ 4 squares equal 1 acre
- ▣ Website: Pittsburgh Zoo and PPG aquarium and Phx Zoo

Bornean Orangutan

Average Weight	Life Expectancy	Incubation Period	Area To Live	Feeding Schedule	Temperature
198 Average Weight	30 To 40 years old	The female is pregnant with her young for 260-270 days	98,010 square feet	Every day you give them fruit, mangoes, plums, squirrels, honeybees, tree bark, figs and bird eggs	Approximately 80 °F

Hoffman's Two-toed Sloth

Average Weight	Life Expectancy	Incubation Period	Area To Live	Feeding Schedule	Temperature
8 and 20 pounds	15-20 years	about 11 ½ months	87,120 square feet	Every 4 hours you give them fruits, vegetables, shoots, and shrubs	Approximately 80 °F

Springbok

Average Weight	Life Expectancy	Incubation Period	Area To Live	Feeding Schedule	Temperature
between 59 and 106 pounds	Up to 10 years	After a gestation period of 5 - 6 months, 1 young Springbok is born	98,010 square feet	You let them eat Foliage, herbs, roots, and grasses in their encasement	about 80 or 85 degrees Fahrenheit

African Lion

Average Weight	Life Expectancy	Incubation Period	Area To Live	Feeding Schedule	Temperature
Females weigh between 270 and 350, males can weigh up to 500 pounds	15 to 18 years, and 25 to 30 years in captivity	102-113 days, one to six young are born to each female	87,120 square feet	Give them stuff that's meat everyday, but it will eat basically anything, including small insects, when hungry	about 80 or 85 degrees Fahrenheit

African Elephant

Average Weight	Life Expectancy	Incubation Period	Area To Live	Feeding Schedule	Temperature
between 13,228 and 19,843 lbs	60-70 years	After 22 months of gestation (the longest among mammals), the female gives birth to a single three foot tall calf	98,010 square feet	Every 3 hours give them shrubbery, vines, herbs and tree leaves	about 80 or 85 degrees Fahrenheit

Black Rhinoceros

Average Weight	Life Expectancy	Incubation Period	Area To Live	Feeding Schedule	Temperature
between 1,750 and 3,000 lbs	45 years or more in captivity, and generally 30 - 35 years	Female rhinos give birth to a single calf after a 15-month gestation	87,120 square feet	Gathers leaves and woody plants to eat, and needs to drink a lot of fresh water to survive	about 80 or 85 degrees Fahrenheit

Amur Tiger

Average Weight	Life Expectancy	Incubation Period	Area To Live	Feeding Schedule	Temperature
Males weigh 450 to 675 pounds; females weigh 200 to 350 pounds	10 to 15 years in the wild, tigers in captivity can live 16 to 22 years	The gestation period is approximately 103 days	87,120 square feet	Every day you give them deer, antelope, wild cattle, or wild pigs	varies from 70°F to 90°F

Snow Leopard

Average Weight	Life Expectancy	Incubation Period	Area To Live	Feeding Schedule	Temperature
may weigh over 160 pounds	15-18 years, but may live for up to 20 years in captivity	Birth usually occurs from April to June after a gestation period of 90-103 days	98,010 square feet	Every day you give them wild sheep, wild boar, hares, mice, deer, or other small mammals	varies from 70°F to 90°F

Amur Leopard

Average Weight	Life Expectancy	Incubation Period	Area To Live	Feeding Schedule	Temperature
Males weigh between 80 and 198 pounds, females weighing between 60 and 130 pounds	About 17 years in a zoo	After a gestation period of 90-105 days, the female Amur leopard gives birth to between two and six young	87,120 square feet	Every day you give them roe or sika deer, along with hares or badgers	varies from 70°F to 90°F

Chinese Muntjac

Average Weight	Life Expectancy	Incubation Period	Area To Live	Feeding Schedule	Temperature
weighs 24 to 60 pounds	Up to 10 years	Females give birth to one young after a gestation period of about seven months	98,010 square feet	Every day you give them some leaves, fruit, bark, fungi, or herbs	varies from 70°F to 90°F

Masai Giraffe

Average Weight	Life Expectancy	Incubation Period	Area To Live	Feeding Schedule	Temperature
an average weight of 1,600 kg (3,500 lb) for males and 830 kg (1,800 lb) for females	15 to 20 years	Gestation is 14 months	98,010 square feet	You plant a lot of acacia trees for them	about 80 or 85 degrees Fahrenheit

White-tailed Deer

Average Weight	Life Expectancy	Incubation Period	Area To Live	Feeding Schedule	Temperature
weighs about 140 pounds	6 to 14 years	Gestation is 6.5 to 7 months	98,010 square feet	At the zoo they are fed alfalfa, clover, timothy hay, and processed grains every day	about 80 or 85 degrees Fahrenheit

Western Lowland Gorilla

Average Weight	Life Expectancy	Incubation Period	Area To Live	Feeding Schedule	Temperature
Males can weigh up to 600 pounds and females weigh up to 250 pounds	can live to be over 40 years of age	pregnancy ranges from 245 to 270 days, after which a female gives birth to usually a single gorilla	87,120 square feet	Every 6 hours you give them fruit, leaves, juicy stems or soils	Approximately 80 °F

Ring-tailed Lemur

Average Weight	Life Expectancy	Incubation Period	Area To Live	Feeding Schedule	Temperature
about 5 lbs	in the wild is 18 years	a gestation of about 136 days	87,120 square feet	Every day you give them plants, leaves, flowers, fruit, or even tree bark	Approximately 80 °F

North American Black Bear

Average Weight	Life Expectancy	Incubation Period	Area To Live	Feeding Schedule	Temperature
Males may weigh up to 700 lbs. Females are usually much smaller at 70-250 lbs	in the wild is 20 years	63-70 days	108,900 square feet	Every day in the zoo they eat Apples, sweet potatoes, carrots, meat, fish, or vitamin or mineral enriched biscuits	Approximately 80 °F

Thank You

Thank you all for going on the
Zoo of the Wild tour.

Now you've seen all of our Wild
animals

I hope you all enjoy the rest of
your day.